

SMK-Link Electronics Corporation 3601-B Calle Tecate, Camarillo, CA 93012 Phone (805) 987-6662, Fax (805) 987-6665 www.smklink.com

# **Product Announcement Information Sheet**

Product Name	Wireless Ultra-mini Touchpad Keyboard
Model Number	VP6364
Part Number	RXX6000-4904F
UPC Code	7 1526206364 8 7 15262 06364 8
Dimensions/Weight per Single	6.7 x 5.8 x 2.1 inch; 13.6 oz
Package	(170 x 148 x 53 mm; 385 g)
Dimensions/Weight per Shipping	14.0 x 10.8 x 12.6 inch; 18.1 lb
Carton	(355 x 275 x 320 mm / 8.2 kg)
Quantities per Shipping Carton	20 units
Suggested Retail Price	US\$69.99
Availability	July 25, 2011



#### **PRODUCT DESCRIPTIONS**

## **Short Description – 25 Words**

• The VP6364 is combination wireless keyboard and mouse that is shaped like a game controller with an integrated touchpad and up to 33-foot range.

#### **Standard Description – 50 Words**

 The Wireless Ultra-Mini Touchpad Keyboard is the ideal companion for text entry and pointing up to 33 feet away. The game controller-like shape is comfortable and instantly familiar in the hand. The integrated touchpad provides accurate and quick navigation with the shoulder buttons providing left and right mouse buttons.

#### **Long Description – 100 Words**

• The Wireless Ultra-Mini Touchpad Keyboard is the ideal companion for text entry across the room. The game controller-like shape is easy to hold and instantly familiar in the hand. Typing is as easy as text messaging. The integrated touchpad provides accurate and quick navigation with the shoulder buttons providing left and right mouse buttons. RF wireless works up to 33 feet away and doesn't require line-of-sight, making the VP6364 perfect for a home theater, living room, boardroom or classroom. Includes a USB dongle which requires no drivers.

#### **FEATURES AND BENEFITS**

## **Ergonomic Handheld Design for Most Versatile Applications**

- The ultra-mini size with contoured handgrips makes it the ideal choice of remote interface for user environment without desk surface such as home theater setting in a living room.
- The smartphone-style keyboard eliminates learning curve; thumb typing on the keyboard is as easy as typing on a mobile phone.

#### Reliable 2.4GHz Transmission for the Wireless Freedom

- Designed with the latest wireless technology, this keyboard provides up to 33-foot of wireless transmission range.
- Without a cable this keyboard offers total flexibility and wireless freedom in a classroom, boardroom and conference room setting.

## **Integrated Touchpad Cursor Control for Total Control**

- The built-in touchpad cursor control eliminates the need for a separate mouse.
- Intuitive design providing total control at your finger tips with 1-finger touchpad cursor control, 2-finger touchpad scrolling, and 2 mouse buttons.

### True Plug-and-Play for Ease of Use

- The 2.4 GHz radio frequency is factory-paired for the ultimate out-of-thebox experience.
- All functions are built-in therefore no need to install software driver.
- True plug-and-play means the device can work instantly upon connecting to the computer without having to perform tedious setup.

# **SPECIFICATIONS**

## **Product Specifications**

- · Connectivity: 2.4GHz RF wireless technology
- System requirements:
  - Windows XP with MCE, Vista with MCE, Windows 7
  - Linux OS (some MCE media functions may not function)
  - 1 available USB port
- Transmission range: up to 33-foot/10-meter
- Smartphone-style keypad construction with QWERTY layout
  - 7 one-touch hot keys
  - o 20 function (Fn) keys
  - Windows Media Center start key
  - Touchpad
  - Left and right mouse buttons
  - Power management with auto sleep mode, wakeup function and LED power-low indicator
  - Power source: 2 x AA alkaline batteries

# **Dimensions and Weight**

- Dimensions: 5.3 x 3.8 x 1.2 inch (135 x 95 x 30 mm)
- Weight: 5.0 oz (142 g)

#### **Package Contents**

- Wireless ultra-mini touchpad keyboard
- USB receiver dongle (stored on the back of the keyboard)
- 2 AA alkaline batteries
- User's manual

#### Warranty

12 months limited warranty